



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

Therefore, in the 'A. O. U. Check-list,' the White-winged Dove of the United States should stand as *Melopelia asiatica trudeaui* (Audubon).<sup>1</sup> Type locality, "Texas."

It also seems desirable to recognize a pallid western form of the Mourning Dove, ranging from the Pacific Ocean and San Clemente Island eastward across the United States and northern Mexico to the Mississippi Valley, as *Zenaidura macroura marginella* (Woodhouse).<sup>2</sup> Type locality, "the cross timbers, on the north fork of the Canadian River, Oklahoma. — EDGAR A. MEARNS, *U. S. National Museum, Washington, D. C.*

**Lark Bunting in New Brunswick.**— August 15, 1910, a young male Lark Bunting (*Calamospiza melanocorys*) was shot by Allen J. Moses at Nantucket, a small island near Grand Manan, New Brunswick. The bird was determined by Dr. Glover M. Allen of the Boston Society of Natural History who stated that this was only the fourth record of this species in the East, the others being from Massachusetts, Long Island and South Carolina.— ELIZABETH M. DUNHAM, *Auburndale, Mass.*

**Some New Birds for Colorado.** BLACK-THROATED GREEN WARBLER (*Dendroica virens*).— Adult female taken by the writer at Barr Lake, Colo., May 20, 1909.

BUFF-BREASTED SANDPIPER (*Tryngites subruficollis*).— Two taken by the writer at Barr Lake Aug. 25 and Sept. 4, 1910, out of flocks of 3 and 5 respectively. This Sandpiper is one Professor Cooke had previously predicted would some day be taken in Colorado.

MOTTLED DUCK (*Anas fulvigula maculosa*).— This bird was taken by Mr. W. N. W. Blayney near Loveland, Colo., in 1907. It is a beautiful male bird in fine plumage. It was identified by Mr. H. C. Oberholser, also by Prof. Wells W. Cooke who writes me this is the first sure record of *maculosa* for Colorado.

All three of these species are in the Colorado Museum of Natural History. — L. J. HERSEY, *Curator of Ornithology, Colorado Museum of Natural History, Denver, Col.*

**Notes on Rare Species in Eastern Missouri.**— On July 2, 3 and 4, 1911, I took a canoe trip down the Meramec River from Steelville in Crawford County to Moselle in Franklin County,— Steelville being about eighty miles and Moselle about forty miles southwest of St. Louis. The Ozark border region, through which the narrow and rapid stream flows, is

<sup>1</sup> Birds of America, VII, 1844, p. 352, pl. 496.

<sup>2</sup> Proc. Acad. Nat. Sci., Philadelphia, 1852, p. 104.